

INVITATION FOR QUOTATION

TEQIP-III/2018/mmug/Shopping/24

04-July-2018

To,

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Ammonia	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
2	Anhydrous sodium carbonate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
3	Autoclave	1	60	Madan Mohan Malaviya University of	

				Technology, Gorakhpur, Uttar Pradesh-273010	
4	Basic lead acetate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
5	Beaker 1	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
6	Beaker 2	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
7	Beaker 3	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
8	Beaker 4	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
9	Boiling Bottle	5	60	Madan Mohan	

				Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
10	Bottle with screw cap	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
11	Burette 1	5	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
12	Burette 2	5	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
13	Calcium Carbonate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
14	Calmagite	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	

				Pradesh-273010	
15	Celite 545	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
16	Citric acid monohydrate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
17	Condensers	5	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
18	Conical flask with stopper 1	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
19	Conical flask with stopper 2	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
20	Conical flask with stopper 3	20	60	Madan Mohan Malaviya University of	

				Technology, Gorakhpur, Uttar Pradesh-273010	
21	Culture tube	20	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
22	Cupric sulphate pentahydrate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
23	D-Glucose 1-phosphate disodium salt dihydrate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
24	Desiccators	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
25	Dextrose	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
26	Distillation unit 1	2	60	Madan Mohan	

				Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
27	Distilled water container	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
28	Distilled water unit	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
29	Erlenmeyer flask 1	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
30	Erlenmeyer flask 2	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
31	Erlenmeyer flask 3	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	

				Pradesh-273010	
32	Ethanol	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
33	Ethylenediaminetetraacetic acid	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
34	Filter paper	6	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
35	Filtration apparatus	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
36	Funnel	6	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
37	Glacial acetic acid	1	60	Madan Mohan Malaviya University of	

				Technology, Gorakhpur, Uttar Pradesh-273010	
38	Glass Pipette pump	4	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
39	Granulated pumice stone	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
40	Hexane	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
41	Hydrochloric acid (35-38 %)	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
42	Iodine	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
43	Laboratory Stands	6	60	Madan Mohan	

				Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
44	Laminar air flow	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
45	Lignin powder	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
46	Magnesium chloride hexahydrate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
47	Magnetic Stirrer 1	4	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
48	Mental heater 1	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar	

				Pradesh-273010	
49	Mental heater 2	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
50	Mercuric iodide red	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
51	Methyl orange	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
52	Methyl red indicator	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
53	Muffle furnace	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
54	Peristaltic pump	2	60	Madan Mohan Malaviya University of	NA

				Technology, Gorakhpur, Uttar Pradesh-273010	
55	pH meter/conductivity meter	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
56	pipette 1	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
57	Pipette 2	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
58	Potassium ferrocyanide	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
59	Potassium iodide	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
60	Potassium thiocyanate	1	60	Madan Mohan	NA

				Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
61	Reagent bottle 1	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
62	Reagent bottle 2	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
63	Refractometer	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	NA
64	Rotary shaker assembly	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
65	Separating funnel	6	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	

				Pradesh-273010	
66	Sodium hydroxide Flakes	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
67	Sodium thiosulphate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
68	Soxhlet apparatus	2	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
69	Starch soluble	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
70	Sulphuric acid	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
71	Test Tube	100	60	Madan Mohan Malaviya University of	

				Technology, Gorakhpur, Uttar Pradesh-273010	
72	Toluene	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
73	Tri sodium citrate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
74	Vacuum pump	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
75	Volumetric flask 1	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
76	Volumetric flask 2	10	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
77	Volumetric flask 3	6	60	Madan Mohan	

				Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
78	Volumetric flask 4	6	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
79	Weighing Machine	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	
80	Zinc acetate dihydrate	1	60	Madan Mohan Malaviya University of Technology, Gorakhpur, Uttar Pradesh-273010	

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.

- 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
- 3.4 Applicable taxes shall be quoted separately for all items.
- 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only one quotation.
5. Quotation shall remain valid for a period not less than **45** days after the last date of quotation submission.
6. Evaluation of Quotations,
The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which
 - 6.1 are properly signed ; and
 - 6.2 confirm to the terms and conditions, and specifications.
7. The Quotations would be evaluated for all items together.
8. Award of contract:
The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.
 - 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
 - 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
9. Payment shall be made in Indian Rupees as follows:
Delivery and Installation - 80% of total cost
Satisfactory Acceptance - 20% of total cost

10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.
1. You are requested to provide your offer latest by **15:00** hours on **8-August-2018** .
2. Detailed specifications of the items are at Annexure I.
3. Training Clause (if any) **Demonstration and Training of all Equipment is necessary at our site**
4. Testing/Installation Clause (if any) **Successful installation & Testing of equipment is must**
5. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
6. **Certificates of manufactures/authorized dealers/agents must be attached with the quotation.**
7. **Copy/List of purchase orders of similar equipment/goods supplied to other reputed organizations should be attached with the quotations in support of quoted rates.**
8. Sealed quotation to be submitted/ delivered at the address mentioned below,
The Registrar, M. M. M. University of Technology, Deoria Road, Gorakhpur – 273010

17. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

Annexure I

Sr. No	Item Name	Specifications
1	Ammonia	30-40 %, AR grade of certified manufacturer
2	Anhydrous sodium carbonate	AR grade of certified manufacturer (1 KG)
3	Autoclave	Chamber Volume-30-50 L, Hot cycle time-15-25 min, Cold Cycle time-25-40 min
4	Basic lead acetate	AR grade of certified manufacturer(500 G)
5	Beaker 1	100 ml-Borosil-1000 - Beakers, Griffin, Low Form, with spout
6	Beaker 2	250 ml-Borosil, 1000 - Beakers, Griffin, Low Form, with spout
7	Beaker 3	Beaker- Borosil, 500 ml- 1000 - Beakers, Griffin, Low Form, with spout
8	Beaker 4	1000 ml-Borosil, 1000 - Beakers, Griffin, Low Form, with spout
9	Boiling Bottle	500 ml, Borosil-4100 - Flasks, Boiling, Flat Bottom, Short Neck, Interchangeable Joint
10	Bottle with screw cap	250 ml, Borosil, 1220 - Bottle, Aspirator, with GL 45 Cap and tabulation: 6 nos.
11	Burette 1	25 ml, Borosil- 2121- Burettes, fitted with boroflo GP, Screw Thread Stopcocks
12	Burette 2	50 ml, Borosil- 2121- Burettes, fitted with boroflo GP, Screw Thread Stopcocks
13	Calcium Carbonate	AR grade of certified manufacturer(500 g)
14	Calmagite	AR grade of certified manufacturer(5 g)
15	Celite 545	AR grade of certified manufacturer(1 kg)
16	Citric acid monohydrate	AR grade of certified manufacturer(500 g)

17	Condensers	Overall height 550 cm, Borosil -2560 - Condensers, Graham, Coiled Distillate Type, Drip Tip, Interchangeable Inner and Outer Joint
18	Conical flask with stopper 1	100 ml, Borosil-5020- Flasks, Erlenmeyer, Conical, Narrow Mouth
19	Conical flask with stopper 2	250 ml, Borosil-5020- Flasks, Erlenmeyer, Conical, Narrow Mouth
20	Conical flask with stopper 3	500 ml, Borosil-5020- Flasks, Erlenmeyer, Conical, Narrow Mouth
21	Culture tube	20 ml, Borosil- 9910 - Tubes, Culture, Media, Flat Bottom, with PP Screw Cap and PTFE Liner
22	Cupric sulphate pentahydrate	AR grade of certified manufacturer(500 g)
23	D-Glucose 1-phosphate disodium salt dihydrate	AR grade of certified manufacturer(5 g)
24	Desiccators	100 mm ID – Borosil, 3082 - Desiccators, with Cover and Porcelain Plate, Plastic Knob
25	Dextrose	AR grade of certified manufacturer(1500 g)
26	Distillation unit 1	Borosil, 3340 - Distilling Apparatus, Ammonia, with Graham Condenser, Interchangeable Joints
27	Distilled water container	Distilled water container of plastic (25 l) with tap
28	Distilled water unit	Stainless steel materialsof standard compony
29	Erlenmeyer flask 1	100 ml, borosil-5100 - Flasks, Erlenmeyer, Conical, Wide Mouth
30	Erlenmeyer flask 2	250 ml, borosil-5100 - Flasks, Erlenmeyer, Conical, Wide Mouth
31	Erlenmeyer flask 3	500 ml, borosil-5100 - Flasks, Erlenmeyer, Conical, Wide Mouth
32	Ethanol	AR grade of certified manufacturer (2.5 L)

33	Ethylenediaminetetraacetic acid	AR grade of certified manufacturer(100 g)
34	Filter paper	Type 1, 2 and 4
35	Filtration apparatus	1000 ml, Borosil- 5350 - All Glass Filter Holder - 47mm, Filtration Assembly of standard company
36	Funnel	50 mm dia, Borosil- 6140 - Funnels, Plain, 600 Angle, Short Stem
37	Glacial acetic acid	AR grade of certified manufacturer (1L)
38	Glass Pipette pump	Glass Pipette pump (10 ml) of std manufacturer
39	Granulated pumice stone	4 kg
40	Hexane	AR grade conc >98% of certified manufacturer (2.5 L)
41	Hydrochloric acid (35-38 %)	AR grade conc 35-38% of certified manufacturer (2.5 L)
42	Iodine	AR grade of certified manufacturer(25 g)
43	Laboratory Stands	Long Laboratory Stands 3- 4 clamp
44	Laminar air flow	2-3×2-3 ft ² area of standard company
45	Lignin powder	AR grade of certified manufacturer(500 g)
46	Magnesium chloride hexahydrate	AR grade of certified manufacturer(500 g)
47	Magnetic Stirrer 1	1 liter capacity with hot plate and Digital Speed Indicator of standard company, ½ inch magnetic beads 2 nos for each set
48	Mental heater 1	500 ml, of standard company
49	Mental heater 2	1000 ml, of standard company
50	Mercuric iodide red	AR grade of certified manufacturer(25 g)
51	Methyl orange	AR grade of certified manufacturer

52	Methyl red indicator	AR grade of certified manufacturer(500 g)
53	Muffle furnace	5 × 5 × 12 Inch, supporting accessories- crucible-2nos, tong, globes
54	Peristaltic pump	Peristaltic pump, ½ hp, 0.9- 200 ml/min of standard compony
55	pH meter/conductivity meter	pH range: - 2.000 to 20.000, pH accuracy- ± 0.003, Conductivity resolution- 0.01µS to 1mS, Conductivity accuracy- ± 0.5 ± 2 digits, Temperature resolution- 0.1°C, Temperature accuracy- ± 0.5°C
56	pipette 1	10 ml, Borosil- 7059 - Pipettes, Measuring (Mohr Type), Class A
57	Pipette 2	25 ml, Borosil- 7059 - Pipettes, Measuring (Mohr Type), Class A
58	Potassium ferrocyanide	AR grade of certified manufacturer(500 g)
59	Potassium iodide	AR grade of certified manufacturer(100 g)
60	Potassium thiocyanate	AR grade of certified manufacturer(500 g)
61	Reagent bottle 1	500 ml, Borosil-1501 - Bottles, Reagent, Graduated with Screw Cap and Pouring Ring)
62	Reagent bottle 2	1000 ml, Borosil-1501 - Bottles, Reagent, Graduated with Screw Cap and Pouring Ring)
63	Refractometer	readable to 0.01°Bx, Polarimeter/saccharimeter calibrated in sugar degrees (°Z) with a visible light source at 589 nm, Polarising tube: length 200 mm. The tube should either be connected electronically to the polarimeter via a temperature sensor or be jacketed and connected to a thermostatically- controlled water bath to maintain a solution temperature of 20.0 ± 0.1° C during measurement. Quartz control plate: ± 50° Z, officially certified at 20.0 ± 0.5°C to two decimal places
64	Rotary shaker assembly	4-8 nos of flask volume 100- 250ml, 40-300 rpm of

		standard company
65	Separating funnel	250 ml, Borosil- 6340 - Funnels, Separating, Globe Shape, with Stopcock and Interchangeable Stopper
66	Sodium hydroxide Flakes	AR grade of certified manufacturer(500 g)
67	Sodium thiosulphate	AR grade of certified manufacturer(500 g)
68	Soxhlet apparatus	200 ml, Borosil- 3840 - Extraction Apparatus Soxhlet Complete With Allihn Condenser, Interchangeable Joint
69	Starch soluble	AR grade of certified manufacturer(500 g)
70	Sulphuric acid	AR grade conc >98% of certified manufacturer (2.5 L)
71	Test Tube	OD-15 mm ht 150 mm, Borosil-9800 - Tubes, Test, With Rim
72	Toluene	AR grade conc >98% of certified manufacturer (2.5 L)
73	Tri sodium citrate	AR grade of certified manufacturer(500 g)
74	Vacuum pump	Motor speed 2500-3000 rpm, power-100-200 watt of standard company
75	Volumetric flask 1	100ml, Borosil- 5641 - Flasks, Volumetric, with Interchangeable PP Stopper
76	Volumetric flask 2	250ml, Borosil- 5641 - Flasks, Volumetric, with Interchangeable PP Stopper
77	Volumetric flask 3	500ml, Borosil- 5641 - Flasks, Volumetric, with Interchangeable PP Stopper
78	Volumetric flask 4	1000ml, Borosil- 5641 - Flasks, Volumetric, with Interchangeable PP Stopper)
79	Weighing Machine	Maximum weigh-200-300 g, Accuracy-0.0001g of standard company
80	Zinc acetate dihydrate	AR grade of certified manufacturer (500 g)

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To:

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ————— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____